

# Deforestation drives climate change that harms remaining forest

UCI researchers reconsider carbon storage with improved climate models, satellite data.

Tuesday, April 12, 2022

Lucas Van Wyk Joel

UCI Physical Sciences Communications



Deforested fields in southern Amazonia, Mato Grosso, Brazil, being prepared for soybean planting.

Picture Credit:

Paulo Brando/UCI

**Irvine, Calif., April 12, 2022** - In a paper published today in [\*Nature Communications\*](#), a team led by scientists from the University of California, Irvine, using climate models and satellite data, reveal for the first time how protecting tropical forests can yield climate benefits that enhance carbon storage in nearby areas.

Many climate scientists use computer simulations to mimic the planet's climate as it exists today and how it may exist in the future as humanity keeps emitting greenhouse gases. Such models rely on accurate measurements all the moving parts of the climate system, from how much sunlight hits and warms the climate, to the response of forest biomass to changes in temperature, rainfall and atmospheric carbon dioxide levels.

The list of moving parts is long, and one part that has until now remained unmeasured is the degree to which deforestation in tropical rainforests like the Amazon and the Congo contributes to additional forest losses because of its effect on regional climate.

"We used Earth system models to quantify what the climate impact from tropical deforestation is today," said lead author Yue Li, UCI postdoctoral researcher in Earth system science. "Then, we used this information with satellite observations of forest biomass to figure out how nearby forests are responding to these changes."

Jim Randerson, UCI professor of Earth system science, added: "This paper shows that avoiding deforestation yields carbon benefits in nearby regions as a consequence of climate feedbacks."

He explained that for a new patch of deforestation in the Amazon, the regional climate changes that happen as a result led to an additional 5.1 percent more loss of total biomass in the entire Amazon basin. In the Congo, the additional biomass loss from the climate effects of deforestation is about 3.8 percent.

Tropical forests store about 200 petagrams of carbon in their aboveground biomass. Since 2010, deforestation has been removing about 1 petagram of that carbon every year. (One petagram is equal to 1 trillion kilograms.)

Until now, climate modelers have, for lack of data, not considered tree mortality in their climate simulations. But by combining satellite data with climate variables, they obtained information about how sensitive carbon stored in vegetation is to climatic changes that result from tree mortality and fire.

“Deforestation has ramifications to forests growing elsewhere, because its consequences to the region's air temperature and precipitation,” said co-author Paulo Brando, UCI professor of Earth system science. “Until recently, it was very difficult to isolate the effects of deforestation though.”



A matrix consisting of agriculture fields and forest fragments in southern Amazonia, Mato Grosso, Brazil. *Paulo Brando / UCI*

By developing new estimates of regional carbon losses from deforestation-driven climate change in the Amazon and the Congo, the team provided information that will help scientists fine tune their models. This “might help us design better climate solutions,” Randerson said. By knowing exactly how much biomass is being lost through this activity, he explained, policymakers can make stronger arguments for why it’s worthwhile to curb deforestation, because they can now better describe the knock-on effects.

Joining Brando, Li and Randerson on this project, which was funded by the U.S. Department of Energy Office of Science and NASA, were Dave Lawrence at the National Center for Atmospheric Research and Hui Yang from the Max Planck Institute for Biogeochemistry in Germany.

**About the University of California, Irvine:** Founded in 1965, UCI is the youngest member of the prestigious Association of American Universities and is ranked among the nation's top 10 public universities by U.S. News & World Report. The campus has produced five Nobel laureates and is known for its academic achievement, premier research, innovation and anteater mascot. Led by Chancellor Howard Gillman, UCI has more than 36,000 students and offers 224 degree programs. It's located in one of the world's safest and most economically vibrant communities and is Orange County's largest employer, contributing \$7 billion annually to the local economy and \$8 billion statewide. For more on UCI, visit [www.uci.edu](http://www.uci.edu).

**Media access:** Radio programs/stations may, for a fee, use an on-campus ISDN line to interview UCI faculty and experts, subject to availability and university approval. For more UCI news, visit [news.uci.edu](http://news.uci.edu). Additional resources for journalists may be found at [communications.uci.edu/for-journalists](http://communications.uci.edu/for-journalists).

[UCI News](#)

[Press Releases](#)

[News Briefs](#)

[Climate Change](#)

[The Future of Energy and the Environment](#)

[Earth System Science](#)

[View PDF](#)